



## AvaSpec-UV/VIS/NIR: Broadband Spectrometer

Avantes introduces this versatile broadband spectrometer, suited for various measurements in the complete UV/VIS/NIR area. This all comes in one package, no separate units necessary. This dual spectrometer is suited for 200-1700 nm.

This solution for versatile needs is an ideal companion in the areas Bioscience, Medical Diagnoses, Semiconductor & Solar Industry, Food & Agriculture, Geology & Mineralogy, Pharmaceutical Industry, Environmental Science, Forensic analysis,

and many more.

The first channel is based on a AvaSpec-ULS2048L. The second channel is based on Avaspec-NIR256-1.7 (uncooled version). Both with replaceable slit option. Available configurations are similar to the options of both spectrometer models mentioned. Detailed info please check these data-sheets.

### Technical data

	2 x USB2.0 2 x DB26 (DIO/RS232) 2 x SMB (synch)
<b>Dimensions, weight</b>	250 x 144 x 179 mm, 4.1 kg
<b>Power supply</b>	Default USB power, 250/350 mA

### Ordering Information

<b>AvaSpec-UV/VIS/NIR</b>	<ul style="list-style-type: none"> <li>Dual Channel Broad Band Spectrometer consisting of:               <ul style="list-style-type: none"> <li>Channel 1: UV/VIS Spectrometer based on the 2048L detector with replaceable slit</li> <li>Channel 2: NIR Spectrometer based on the uncooled 1.7 detector with replaceable slit</li> </ul> </li> <li>Incl.: USB cables, Sync cable, Avasoft-Basic</li> <li>Excl.: Options for both channels (grating, settings, slit, etc.)</li> <li>For both channels specify grating, wavelength range and options</li> </ul>
<b>Ordering Example</b>	<ul style="list-style-type: none"> <li>AvaSpec-UV/VIS/NIR               <ul style="list-style-type: none"> <li>Channel 1: Grating - UA set for 200-1100nm, DUV, OSC-UA, Slit-25-RS</li> <li>Channel 2: Grating NIR200-1.5 set for 950-1700nm, Slit-50-RS</li> <li>Avasoft-Full</li> </ul> </li> </ul>

**Note:** This model will soon be replaced for an EVO version